

Antenna JRMC - 1200 - 17/18 is designed for microwave links at the frequency band 17 and 18 GHz. Precise performance with deep reflector dish is complying with standard ETSI Class 3 and FCC Cat. A.

Electrical parameters:

Frequency range 17.1 – 19.7 GHz

 $\begin{aligned} & \textbf{Gain}_{-\text{Low frequency}} & 43.2 \pm 1 \text{ dBi} \\ & \textbf{Gain}_{-\text{High frequency}} & 44.7 \pm 1 \text{ dBi} \end{aligned}$

Front to back ratio \geq 72 dB XPD \geq 36 dB

Beamwidth_{-3 dB} 0.9°

Return loss ≥ 17 dB

Polarization Linear, vertical/horizontal

US FCC Cat. A

Electrical Compliance Class 3 ETSI EN 302-217-4-2

Mechanical parameters:

Parabola Ø 1200 mm , aluminium alloy

Radom Fiberglass

Input / output Circle waveguide Ø 11 mm

Installation for mast Ø 80 - 120 mm

 \emptyset 60 - 80 mm — with wind bracing set

Operating wind load

- without wind bracing set 110 km/h (68 mph)

- with wind bracing set 140 km/h (87 mph)

Survival wind load 210 km/h (130 mph)

Weight of antenna 38 kg (84 lbs.)

Shipping dimensions – 1 pc 1300 x 800 x 1430 mm / 68 kg (150 lbs)

Shipping dimensions – 2 pcs 1300 x 1100 x 1430 mm / 106 kg (233 lbs)

Contact: Jirous, spol. s r.o.



Usage:

The antenna is supplied together with a massive holder that allows easy mounting on a mast. Holder can be installed separately on the mast. Subsequently, the antenna with microwave unit can be simply hung up into it.

Antenna holder allows fine setting elevation ± 15° and azimuth ± 7°. Ready for right and left side mounting.

In the areas with the expected occurrence of the strong winds the usage of the (adjustable) wind bracing set is recommended. For mounting on the mast \(\varphi \) 60 - 80 mm the usage of the (adjustable) wind bracing set is strongly recommended.


The usage of adjustable wind bracing set allows to set azimuth more comfortably.


The wind bracing set or the adjustable wind bracing set are optional accessories.

Contact: Jirous, spol. s r.o.




Measurement of radiation pattern:










Outline:














Wind loading:



Wind Loading at 200 km/h [125 mph]

Direction	Force [N]	Force [lbf]
Fx ₁	2696	606
Fx ₂	2186	491.4
Fy	247	55.5